

FEDERAL COMMUNICATIONS COMMISSION
WASHINGTON, D.C. 20554

BASIC SIGNAL LEAKAGE PERFORMANCE REPORT
FORM 320

Submission Date: Mar 14, 2008 Filing Year: 2008 Confirmation Number: CB32207838

SECTION I -- GENERAL INFORMATION

- (1) Cable System Owner: GUADALUPE VALLEY COMMUNICATIONS SYSTEMS INC
Phone Number: (830) 885-8239
Address: 36101 FM 3159
NEW BRAUNFELS TX 78132
(City) (State) (Zip)
- (2) Community Served: BOERNE
- (3) Community Unit No.: TX0769
- (4) Physical System Id: 005008

SECTION II -- LOCAL SYSTEM INFORMATION

- (1) Person(s) Responsible for the Report:
Name: Pettiette Josh (M)
(Last) (First)
Phone Number: (830) 885-8370
Address: 36101 F.M. 3159
NewBraunfels TX 78132
(City) (State) (Zip)
- (2) Are aeronautical frequencies (108-137 or 225-400 MHz) used by this cable television system? Yes
- (3) TEST RESULTS: CLI: 10LogIoo: 52.3800 10LogI3000: _____
Airspace: The Cumulative Leakage Index is 52.380. This is within the allowable limit of 64 for the 10logIoo calculation.

SECTION III -- LEAKAGE PERFORMANCE CRITERIA

For operators conducting measurements on a geographical area that contains more than one Community Unit (e.g., headends that serve more than one Community Unit) fill in the measurement information below. NOTE: The submission of the accompanying exhibits, either B or C, may be incorporated by reference to another Community Unit filing that had undergone the same measurement tests as this community Unit. That Community Unit must be identified by its Community Unit Code Number in response to Question (2) or (4) below.

(1) GROUND-BASED MEASUREMENTS: (if used)

- (a) Person(s) Responsible for the test:
Name: Dean Troy (M)
(Last) (First)
Phone Number: (830) 660-8965
- (b) Miles of plant tested and % of total plant tested: 487.0000 m; 100.0000 %

BASIC SIGNAL LEAKAGE PERFORMANCE REPORT

Page 2

SECTION III -- LEAKAGE PERFORMANCE CRITERIA (Continued)

- (c) Time period of the test: From: 01/01/2008 To: 01/31/2008
(mm/dd/yy) (mm/dd/yy)
- (d) Equipment Used: Wavetracker APLAS3i 127.2625 (Mhz)
(Make) (Model) (Test Frequency)
- (e) Attach as **Exhibit B**, the CLI calculations & Result including all parameters used. Identify in this Exhibit all leaks ≥ 50 uV/m, and show their repaired dates, if any...

(2) AIRSPACE MEASUREMENTS: (if used)

- (a) Person(s)/Company Responsible for the test:

Name:

(Last)

(First)

(M)

(Mhz)
(Test Frequency)

Phone Number: () -

- (b) Time period of the test:

From:

To:

(mm/dd/yy)

(mm/dd/yy)

- (c) Attach as **Exhibit C**, a full description of the test procedure, a list of the equipment used for the airspace measurement and a detailed description of the area covered by these airspace measurements (set forth in this Exhibit all leaks detected during these airspace measurements that were subsequently repaired and their repair dates, if any).

- (d) Recorded data and its analysis:

- (i) If analog recordings, include in **Exhibit C** a graph of the results and indicate the value of the smoothed out peak values _____ uV/m.
- (ii) If digitized recordings, include in **Exhibit C** a plot of the results and indicate the % of points recorded digitally below 10 uV/m: _____ %

SECTION IV -- CERTIFICATION

By signing below the operator certifies that, in the case of an individual operator, he or she is not subject to a denial of federal benefits that include FCC benefits pursuant to section 5301 of the Anti-Drug Abuse Act of 1988, 21, U.S.C. 862, or, in the case of a non-individual operator (e.g., corporation, partnership or other unincorporated association), no party to the operator is subject to a denial of federal benefit that includes FCC benefits pursuant to that section. For the definition of a 'party' for these purposes, see 47 CFR, Section 1.2002(b).

I certify that I am Manager-Regulatory&Tariffs (Official Title) of GUADALUPE VALLEY COMMUNICATIONS SYSTEMS INC (Legal Name of cable System Owner), that I have examined this report and that, to the best of my knowledge and belief, all statements in this report are true, correct and complete, and are made in good faith.


Signed on: 03/14/2008

WILLFUL FALSE STATEMENTS ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. CODE, TITLE 18, §1001) AND /OR REVOCATION OF ANY STATION LICENSE (U.S. CODE, TITLE 47, §312(A)(1)), AND/OR FORFEITURE (U.S. CODE, TITLE 47, SECTION 503).

BASIC SIGNAL LEAKAGE PERFORMANCE REPORT

Page 3

Operator Comments



BASIC SIGNAL LEAKAGE PERFORMANCE REPORT

Page 4

Community Units Included in this Report

<u>CUID</u>	<u>Community Name</u>	<u>PSID</u>
TX0769	BOERNE	005008



BASIC SIGNAL LEAKAGE PERFORMANCE REPORT

Page 5

Exhibit A -- Aeronautical Frequencies (MHz)

109.275
115.275
121.2625
127.2625
133.2625
229.2625
235.2625
241.2625
247.2625
253.2625
259.2625
265.2625
271.2625
277.2625
283.2625
289.2625
295.2625
301.2625
307.2625
313.2625
319.2625
325.2625
331.275
337.2625
343.2625
349.2625
355.2625
361.2625
367.2625
373.2625
379.2625
385.2625
391.2625
397.2625




BASIC SIGNAL LEAKAGE PERFORMANCE REPORT

Page 5

Exhibit B -- CLI Calculations and Results

<u>Address</u>	<u>Date Found</u>	<u>Date Repaired</u>	<u>uV/m</u>	<u>Radius</u>	<u>(uV/m)²</u>
1183 Ridgehaven	01/01/2008	01/29/2008	200.00	0.00	40,000
30328 I.H. 10	01/03/2008	01/03/2008	150.00	0.00	22,500
123 Vista Verde Dr	01/03/2008	01/28/2008	75.00	0.00	5,625
105 Hummingbird Hill	01/03/2008	01/31/2008	150.00	0.00	22,500
42 Live Oak	01/07/2008	01/25/2008	150.00	0.00	22,500
521 Sandbar	01/14/2008	01/28/2008	100.00	0.00	10,000
736 Squires Row	01/14/2008	01/29/2008	60.00	0.00	3,600
363 Valleyview	01/14/2008	01/29/2008	80.00	0.00	6,400
2022 Blueridge	01/14/2008	01/29/2008	200.00	0.00	40,000
Sum of the Leaks Squared:					173,125



Proof-of-Performance

Test Point Location: Sattler Test Point # 06

Date: January 30, 2008 Time: 12:30 PM

Personnel: John Green

Equipment:

	Description	Brand	S/N	Calibration Date
1.	<u>AT2500ROV</u>	<u>Sunrise Telecom</u>	<u>6004-0604</u>	<u>June 22, 2004</u>
2.	<u>SLM SDA 5000</u>	<u>Acterna</u>	<u>5330086</u>	<u>11-28-07</u>
3.	<u>SA Explorer 1850</u>	<u>Scientific Atlanta</u>	<u>001E61880-8</u>	<u>N/A</u>
4.	<u></u>			

Channel	C/N (dB)	CSO (dB)	CTB (dB)	Hum (%)	In-Channel Response	A/V Separation
98	<u>48.4</u>	<u>69.2</u>	<u>68.2</u>	<u>.4</u>	<u>.75</u>	<u>-15.3</u>
14	<u>49.1</u>	<u>62.9</u>	<u>69.5</u>	<u>.4</u>	<u>.45</u>	<u>-15.1</u>
18	<u>47.1</u>	<u>69.3</u>	<u>69.0</u>	<u>.6</u>	<u>.55</u>	<u>-15.2</u>
34	<u>48.6</u>	<u>68.2</u>	<u>67.6</u>	<u>.2</u>	<u>.55</u>	<u>-15.4</u>
41	<u>48.8</u>	<u>63.3</u>	<u>67.9</u>	<u>.2</u>	<u>.55</u>	<u>-15.2</u>
50	<u>49.2</u>	<u>66.9</u>	<u>69.1</u>	<u>.4</u>	<u>.45</u>	<u>-14.3</u>
64	<u>47.3</u>	<u>67.7</u>	<u>69.2</u>	<u>.8</u>	<u>.45</u>	<u>-15.4</u>
* 71	<u>52.1</u>	<u>63.3</u>	<u>69.5</u>	<u>.2</u>	<u>.55</u>	<u>-15.3</u>
78	<u>49.6</u>	<u>63.9</u>	<u>69.2</u>	<u>.2</u>	<u>.55</u>	<u>-15.4</u>

* Channel 70 was converted to a digital channel 1-30-08

Proof-of-Performance

Test Point Location: River Crossing

Test Point # 03

Date: January 16, 2007

Time: 2:00 PM

Personnel: John Green

Equipment:

	Description	Brand	S/N	Calibration Date
1.	<u>AT2500RQV</u>	<u>Sunrise Telecom</u>	<u>6004-0604</u>	<u>June 22, 2004</u>
2.	<u>SLM SDA 5000</u>	<u>Acterna</u>	<u>5330086</u>	<u>11-28-07</u>
3.	<u>SA Explorer 1850</u>	<u>Scientific Atlanta</u>	<u>001E61880-8</u>	<u>N/A</u>
4.				

Channel	C/N (dB)	CSO (dB)	CTB (dB)	Hum (%)	In-Channel Response	A/V Separation
98	<u>47.7</u>	<u>69.3</u>	<u>60.8</u>	<u>.6</u>	<u>.45</u>	<u>-15.2</u>
14	<u>46.8</u>	<u>66.3</u>	<u>60.9</u>	<u>.6</u>	<u>.75</u>	<u>-15.2</u>
18	<u>46.2</u>	<u>65.7</u>	<u>61.2</u>	<u>.4</u>	<u>.45</u>	<u>-15.2</u>
34	<u>47.9</u>	<u>70.0</u>	<u>60.5</u>	<u>.2</u>	<u>.55</u>	<u>-14.6</u>
41	<u>48.1</u>	<u>62.1</u>	<u>60.2</u>	<u>.6</u>	<u>.55</u>	<u>-15.1</u>
50	<u>46.9</u>	<u>67.5</u>	<u>61.1</u>	<u>.4</u>	<u>.45</u>	<u>-12.1</u>
64	<u>49.1</u>	<u>67.1</u>	<u>59.4</u>	<u>.4</u>	<u>.55</u>	<u>-12.7</u>
70	<u>50.0</u>	<u>68.4</u>	<u>62.3</u>	<u>.4</u>	<u>.55</u>	<u>-12.9</u>
78	<u>49.6</u>	<u>68.8</u>	<u>62.7</u>	<u>.6</u>	<u>.55</u>	<u>-12.0</u>

Proof-of-Performance

Test Point Location: Startzville Test Point # 05

Date: January 30, 2008 Time: 1:25 PM

Personnel: John Green

Equipment:

	Description	Brand	S/N	Calibration Date
1.	<u>AT2500ROV</u>	<u>Sunrise Telecom</u>	<u>6004-0604</u>	<u>June 22, 2004</u>
2.	<u>SLM SDA 5000</u>	<u>Acterna</u>	<u>5330086</u>	<u>11-28-07</u>
3.	<u>SA Explorer 1850</u>	<u>Scientific Atlanta</u>	<u>001E61880-8</u>	<u>N/A</u>
4.				

Channel	C/N (dB)	CSO (dB)	CTB (dB)	Hum (%)	In-Channel Response	A/V Separation
98	<u>47.2</u>	<u>69.6</u>	<u>65.0</u>	<u>.4</u>	<u>.50</u>	<u>-14.8</u>
14	<u>47.5</u>	<u>65.1</u>	<u>64.9</u>	<u>.4</u>	<u>.50</u>	<u>-14.2</u>
18	<u>47.3</u>	<u>67.9</u>	<u>64.7</u>	<u>.4</u>	<u>.40</u>	<u>-14.6</u>
34	<u>47.4</u>	<u>67.8</u>	<u>63.7</u>	<u>.2</u>	<u>.40</u>	<u>-15.0</u>
41	<u>48.1</u>	<u>65.1</u>	<u>63.5</u>	<u>.4</u>	<u>.30</u>	<u>-15.0</u>
50	<u>49.4</u>	<u>67.2</u>	<u>64.8</u>	<u>.6</u>	<u>.40</u>	<u>-15.2</u>
64	<u>48.7</u>	<u>69.0</u>	<u>65.7</u>	<u>.6</u>	<u>.40</u>	<u>-14.7</u>
* 71	<u>48.0</u>	<u>63.3</u>	<u>65.8</u>	<u>.6</u>	<u>.40</u>	<u>-14.8</u>
78	<u>49.4</u>	<u>64.9</u>	<u>66.2</u>	<u>.4</u>	<u>.50</u>	<u>-14.9</u>

* Channel 70 was converted to a digital channel 1-30-08

Proof-of-Performance

Test Point Location: Keenland (Fair Oaks Ranch)

Test Point # 02

Date: January 29, 2008

Time: 12:30 PM

Personnel: John Green

Equipment:

	Description	Brand	S/N	Calibration Date
1.	<u>AT2500RQV</u>	<u>Sunrise Telecom</u>	<u>6004-0604</u>	<u>June 22, 2004</u>
2.	<u>SLM SDA 5000</u>	<u>Acterna</u>	<u>5330086</u>	<u>11-28-07</u>
3.	<u>SA Explorer 1850</u>	<u>Scientific Atlanta</u>	<u>001E61880-8</u>	<u>N/A</u>
4.	<u></u>			

Channel	C/N (dB)	CSO (dB)	CTB (dB)	Hum (%)	In-Channel Response	A/V Separation
98	<u>49.4</u>	<u>70.9</u>	<u>63.2</u>	<u>.4</u>	<u>.45</u>	<u>-15.1</u>
14	<u>48.4</u>	<u>63.8</u>	<u>64.8</u>	<u>1.0</u>	<u>.45</u>	<u>-15.1</u>
18	<u>49.3</u>	<u>62.8</u>	<u>64.2</u>	<u>.6</u>	<u>.55</u>	<u>-15.1</u>
34	<u>49.3</u>	<u>63.9</u>	<u>62.3</u>	<u>.6</u>	<u>.55</u>	<u>-15.0</u>
41	<u>49.4</u>	<u>61.4</u>	<u>58.3</u>	<u>.6</u>	<u>.55</u>	<u>-15.0</u>
50	<u>49.0</u>	<u>62.1</u>	<u>57.4</u>	<u>.6</u>	<u>.65</u>	<u>-15.2</u>
64	<u>45.0</u>	<u>63.6</u>	<u>54.2</u>	<u>.8</u>	<u>.55</u>	<u>-15.0</u>
70	<u>50.6</u>	<u>60.2</u>	<u>56.8</u>	<u>.6</u>	<u>.55</u>	<u>-15.2</u>
78	<u>49.7</u>	<u>59.2</u>	<u>56.5</u>	<u>.6</u>	<u>.75</u>	<u>-14.6</u>

Proof-of-Performance

Test Point Location: Indian Hills

Test Point # 04

Date: January 29, 2007

Time: 2:37 PM

Personnel: John Green

Equipment:

	Description	Brand	S/N	Calibration Date
1.	<u>AT2500RQV</u>	<u>Sunrise Telecom</u>	<u>6004-0604</u>	<u>June 22, 2004</u>
2.	<u>SLM SDA 5000</u>	<u>Acterna</u>	<u>5330086</u>	<u>11-28-07</u>
3.	<u>SA Explorer 1850</u>	<u>Scientific Atlanta</u>	<u>001E61880-8</u>	<u>N/A</u>
4.	<u> </u>			

Channel	C/N (dB)	CSO (dB)	CTB (dB)	Hum (%)	In-Channel Response	A/V Separation
98	<u>47.6</u>	<u>70.1</u>	<u>63.2</u>	<u>.6</u>	<u>.55</u>	<u>-15.1</u>
14	<u>47.7</u>	<u>66.7</u>	<u>63.4</u>	<u>.2</u>	<u>.55</u>	<u>-14.9</u>
18	<u>47.3</u>	<u>69.1</u>	<u>64.2</u>	<u>.4</u>	<u>.45</u>	<u>-14.4</u>
34	<u>48.9</u>	<u>69.0</u>	<u>63.2</u>	<u>.4</u>	<u>.55</u>	<u>-14.2</u>
41	<u>46.8</u>	<u>64.5</u>	<u>64.1</u>	<u>.6</u>	<u>.55</u>	<u>-15.2</u>
50	<u>47.9</u>	<u>67.7</u>	<u>61.7</u>	<u>.2</u>	<u>.45</u>	<u>-15.4</u>
64	<u>49.2</u>	<u>70.1</u>	<u>64.4</u>	<u>.4</u>	<u>.65</u>	<u>-15.0</u>
70	<u>49.8</u>	<u>70.7</u>	<u>66.0</u>	<u>.6</u>	<u>.65</u>	<u>-15.3</u>
78	<u>48.1</u>	<u>67.9</u>	<u>65.2</u>	<u>.8</u>	<u>.55</u>	<u>-13.6</u>

Proof-of-Performance

Test Point Location: West Tapatio Dr

Test Point # 01

Date: January 29, 2008

Time: 12:30 PM

Personnel: John Green

Equipment:

	Description	Brand	S/N	Calibration Date
1.	<u>AT2500ROV</u>	<u>Sunrise Telecom</u>	<u>6004-0604</u>	<u>June 22, 2004</u>
2.	<u>SLM SDA 5000</u>	<u>Acterna</u>	<u>5330086</u>	<u>11-28-07</u>
3.	<u>SA Explorer 1850</u>	<u>Scientific Atlanta</u>	<u>001E61880-8</u>	<u>N/A</u>
4.	<u> </u>			

Channel	C/N (dB)	CSO (dB)	CTB (dB)	Hum (%)	In-Channel Response	A/V Separation
98	<u>48.2</u>	<u>70.4</u>	<u>61.5</u>	<u>.4</u>	<u>.55</u>	<u>-15.2</u>
14	<u>49.5</u>	<u>65.3</u>	<u>61.7</u>	<u>.4</u>	<u>.45</u>	<u>-15.0</u>
18	<u>48.5</u>	<u>63.6</u>	<u>61.2</u>	<u>.4</u>	<u>.65</u>	<u>-15.2</u>
34	<u>49.3</u>	<u>72.1</u>	<u>58.9</u>	<u>.4</u>	<u>.45</u>	<u>-15.0</u>
41	<u>48.0</u>	<u>63.5</u>	<u>59.0</u>	<u>.8</u>	<u>.55</u>	<u>-14.1</u>
50	<u>47.5</u>	<u>70.4</u>	<u>59.0</u>	<u>.2</u>	<u>.75</u>	<u>-12.8</u>
64	<u>48.6</u>	<u>69.6</u>	<u>57.7</u>	<u>.6</u>	<u>.60</u>	<u>-15.6</u>
70	<u>49.5</u>	<u>71.5</u>	<u>60.2</u>	<u>.4</u>	<u>.80</u>	<u>-13.2</u>
78	<u>50.6</u>	<u>71.3</u>	<u>61.2</u>	<u>.4</u>	<u>.70</u>	<u>-11.7</u>



G.V.T.C
36101 FM 3159
New Braunfels, TX
78132
830-885-4411

2008 24 Hour Summer Report

Model: SDA-5000
Operator: JOHN-GREEN
Date: 07/02/08 Time: 12:00:49
Description:

Serial #: 5330086
File: TP-01

Cal Date: 11/28/07
DOS File: TP-01

Location: TP-01
Location Type: FieldTest
Area: TP-01
Test Pnt Type:
Test Pnt Comp:
AC Voltage:

AmpID:
Power Cfg:
Feeder Maker Cfg:
Trunk Term:
Voltage Setting:
DC Voltage (reg):

Reverse Pad:
Forward Pad:
Rev Equalizer:
Fwd Equalizer:
Temp:
DC Voltage (unreg):

Date:	#1	#2	#3	#4	
Time:	07/02/08	07/02/08	07/03/08	07/03/08	
Temp:	12:00:49	18:00:49	00:00:49	06:00:49	
Channel	36.0 C	32.0 C	29.0 C	29.0 C	
	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	24Hr Deviation(dB)
2	11.3	12.0	11.6	12.3	1.0
3	11.0	11.9	10.9	11.8	1.0
4	11.9	12.8	12.0	12.4	0.9
5	12.6	13.8	13.1	13.4	1.2
6	13.0	13.7	12.9	13.7	0.8
7	13.7	14.6	13.8	14.7	1.0
8	13.4	14.3	13.3	14.0	1.0
9	13.1	13.8	12.0	13.6	1.8
10	12.6	13.6	11.1	13.2	2.5
11	13.4	14.5	13.1	14.3	1.4
12	13.9	14.9	13.3	14.4	1.6
13	13.9	14.7	13.7	14.6	1.0
14	13.5	14.5	13.6	14.3	1.0
15	13.7	14.6	13.5	14.6	1.1
19	13.9	14.8	13.8	14.9	1.1
21	13.5	14.5	13.6	14.3	1.0
22	13.7	14.9	13.8	14.2	1.2
23	13.3	14.3	13.0	14.0	1.3
24	13.3	14.1	12.7	14.0	1.4
25	13.0	13.7	12.5	13.8	1.3
26	14.0	14.8	13.8	14.7	1.0
27	14.1	15.1	13.9	15.2	1.3
28	13.8	14.8	13.5	14.5	1.3
29	14.1	15.2	13.6	15.1	1.6
30	14.8	15.8	14.3	15.6	1.5
31	15.1	16.3	14.4	15.8	1.9
32	14.6	15.8	14.2	15.6	1.6
33	14.2	15.7	14.2	15.0	1.5
34	13.7	14.9	13.5	14.8	1.4
35	13.7	14.8	13.9	14.6	1.1
36	14.6	15.9	14.2	15.9	1.7
37	15.3	16.3	14.4	15.8	1.9
38	15.3	16.5	15.0	16.1	1.5
39	15.2	16.2	14.7	15.8	1.5
40	15.1	16.1	14.4	15.7	1.7
41	14.1	15.0	13.5	14.6	1.5
42	14.8	15.3	12.2	14.5	3.1
43	15.4	15.9	14.1	15.5	1.8
44	15.6	16.3	14.9	16.0	1.4
45	16.0	17.1	15.3	16.9	1.8
46	15.7	16.3	14.7	16.1	1.6
47	15.8	16.5	15.2	16.4	1.3
48	15.6	16.2	15.1	16.1	1.1
49	15.5	15.9	14.6	15.9	1.3
50	15.1	15.5	14.2	15.6	1.4
51	14.9	15.6	13.9	15.2	1.7



G.V.T.C
36101 FM 3159
New Braunfels, TX
78132
830-885-4411

2008 24 Hour Summer Report

Model: SDA-5000
Operator: JOHN-GREEN
Date: 07/02/08 Time: 12:00:49
Description:

Serial #: 5330086
File: TP-01

Cal Date: 11/28/07
DOS File: TP-01

	#1	#2	#3	#4	
Date:	07/02/08	07/02/08	07/03/08	07/03/08	
Time:	12:00:49	18:00:49	00:00:49	06:00:49	
Temp:	36.0 C	32.0 C	29.0 C	29.0 C	
Channel	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	24Hr Deviation(dB)
52	15.4	15.9	14.9	15.9	1.0
53	15.8	16.4	14.9	16.3	1.5
54	16.3	16.6	15.3	16.7	1.4
55	15.3	15.9	14.5	16.0	1.5
56	15.3	15.6	14.6	15.9	1.3
57	16.0	16.1	14.8	16.1	1.3
58	15.6	15.8	14.7	16.0	1.3
59	15.9	16.5	14.9	16.4	1.6
60	16.7	17.1	15.5	17.3	1.8
61	16.2	16.6	14.9	16.6	1.7
62	15.5	16.3	14.8	16.2	1.5
63	15.4	16.0	14.6	15.7	1.4
64	15.4	16.2	15.1	16.4	1.3
65	15.8	16.5	14.9	16.4	1.6
66	16.5	16.9	15.4	17.2	1.8
67	17.3	18.0	16.5	17.7	1.5
68	16.9	17.8	16.2	17.5	1.6
69	15.9	16.9	15.1	16.9	1.8
71	15.4	16.3	14.7	16.5	1.8
72	15.6	16.5	14.9	16.7	1.8
73	16.3	17.2	15.1	16.9	2.1
74	17.8	18.5	16.8	18.6	1.8
75	17.7	19.0	17.2	18.6	1.8
76	17.7	18.5	16.9	18.5	1.6
77	17.8	18.7	17.3	18.9	1.6
78	17.3	17.5	16.2	17.8	1.6
79	16.4	17.5	15.5	17.3	2.0
98	12.8	13.9	12.9	13.6	1.1

LIMIT CHECK	Limit	1	2	3	4	
Min Video Carrier Level	..					Pass
Max Delta Video Level	..					Pass
Min Delta V/A	..					Pass
Max Delta V/A	..					Pass
Max Delta Adjacent Chan	..					Pass
Max 24 Hour Deviation	..					Pass
Min Digital Level	..					Pass
Max Digital Level	..					Pass
Conclusion:						P A S S

Reviewed: _____

Date: _____



G.V.T.C
36101 FM 3159
New Braunfels, TX
78132
830-885-4411

2008 24 Hour Summer Report

Model: SDA-5000
Operator: JOHN-GREEN
Date: 07/01/08 Time: 12:01:49
Description:

Serial #: 5330086
File: TP-02

Cal Date: 11/28/07
DOS File: TP-02

Location: TP-02
Location Type: FieldTest
Area: TP-02
Test Pnt Type:
Test Pnt Comp:
AC Voltage:

AmpID:
Power Cfg:
Feeder Maker Cfg:
Trunk Term:
Voltage Setting:
DC Voltage (reg):

Reverse Pad:
Forward Pad:
Rev Equalizer:
Fwd Equalizer:
Temp:
DC Voltage (unreg):

	#1	#2	#3	#4	
Date:	07/01/08	07/01/08	07/02/08	07/02/08	
Time:	12:01:49	18:01:49	00:01:49	06:01:49	
Temp:	35.0 C	35.0 C	32.0 C	29.0 C	
Channel	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	24Hr Deviation(dB)
2	10.0	10.0	10.5	10.6	0.6
3	9.2	9.2	9.6	9.7	0.5
4	9.1	9.5	9.7	9.9	0.8
5	8.9	9.4	9.8	9.9	1.0
6	9.0	9.0	9.3	9.6	0.6
7	8.2	8.6	9.1	9.3	1.1
8	8.6	8.6	9.1	9.5	0.9
9	8.9	9.2	9.6	9.9	1.0
10	8.7	8.7	9.1	9.6	0.9
11	9.0	9.3	9.6	9.9	0.9
12	9.3	9.7	9.7	10.2	0.9
13	9.0	9.6	9.9	10.2	1.2
14	8.2	8.3	8.7	9.0	0.8
15	7.9	8.3	8.7	8.9	1.0
19	8.1	8.1	8.6	8.9	0.8
21	6.8	7.4	7.6	7.9	1.1
22	7.4	7.7	8.1	8.4	1.0
23	9.3	9.5	9.6	10.2	0.9
24	8.7	9.2	9.9	10.0	1.3
25	9.4	9.4	11.1	10.2	1.7
26	10.7	9.6	10.8	10.6	1.2
27	10.9	10.6	11.3	11.1	0.7
28	10.9	10.5	11.4	11.4	0.9
29	10.6	10.4	11.6	11.8	1.4
30	10.4	10.5	11.1	11.3	0.9
31	10.1	9.9	10.4	11.0	1.1
32	10.0	9.9	10.4	10.6	0.7
33	9.7	9.9	10.4	10.6	0.9
34	9.9	10.1	10.9	11.0	1.1
35	10.2	10.4	11.5	11.7	1.5
36	10.2	10.2	10.8	11.3	1.1
37	10.2	10.2	10.4	11.1	0.9
38	9.6	9.6	10.5	10.9	1.3
39	10.4	10.4	11.2	11.4	1.0
40	10.5	10.7	11.3	11.7	1.2
41	10.2	10.6	11.1	11.4	1.2
42	10.9	11.1	11.9	12.1	1.2
43	10.8	10.8	11.6	11.8	1.0
44	11.0	11.3	11.9	12.6	1.6
45	11.2	11.9	12.4	12.8	1.6
46	10.6	11.1	11.6	11.9	1.3
47	10.9	11.5	11.9	12.4	1.5
48	10.9	10.9	11.5	12.0	1.1
49	10.5	11.0	11.5	11.5	1.0
50	11.1	11.5	12.0	12.4	1.3
51	10.8	11.1	11.7	12.2	1.4



G.V.T.C
36101 FM 3159
New Braunfels, TX
78132
830-885-4411

2008 24 Hour Summer Report

Model: SDA-5000
Operator: JOHN-GREEN
Date: 07/01/08 Time: 12:01:49
Description:

Serial #: 5330086
File: TP-02

Cal Date: 11/28/07
DOS File: TP-02

	#1	#2	#3	#4	
Date:	07/01/08	07/01/08	07/02/08	07/02/08	
Time:	12:01:49	18:01:49	00:01:49	06:01:49	
Temp:	35.0 C	35.0 C	32.0 C	29.0 C	
Channel	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	24Hr Deviation(dB)
52	10.8	11.2	12.2	12.5	1.7
53	10.7	11.1	11.6	12.1	1.4
54	11.3	11.8	12.5	12.8	1.5
55	10.4	10.8	11.5	12.0	1.6
56	11.0	11.6	12.0	12.5	1.5
57	11.0	11.6	12.2	12.6	1.6
58	10.9	11.2	11.8	12.3	1.4
59	11.5	11.7	12.5	12.9	1.4
60	11.6	11.9	12.4	13.1	1.5
61	11.7	12.2	12.9	13.2	1.5
62	11.6	11.9	12.7	13.2	1.6
63	11.7	12.2	12.7	13.1	1.4
64	11.5	11.8	13.0	13.5	2.0
65	11.5	12.0	12.8	13.4	1.9
66	11.6	11.9	12.5	13.3	1.7
67	11.8	12.3	12.9	13.6	1.8
68	11.8	12.8	13.3	13.0	1.5
69	12.6	13.1	13.6	14.0	1.4
71	13.1	13.3	14.2	14.3	1.2
72	12.8	13.4	14.2	14.6	1.8
73	12.9	13.4	14.0	14.5	1.6
74	12.8	13.2	13.8	14.3	1.5
75	12.8	13.3	14.0	14.8	2.0
76	13.4	13.9	14.7	15.3	1.9
77	13.6	14.5	15.2	15.8	2.2
78	14.2	15.0	15.4	16.1	1.9
79	14.0	14.3	15.2	15.5	1.5
98	8.0	8.2	8.6	9.0	1.0

LIMIT CHECK	Limit	1	2	3	4	
Min Video Carrier Level	..					Pass
Max Delta Video Level	..					Pass
Min Delta V/A	..					Pass
Max Delta V/A	..					Pass
Max Delta Adjacent Chan	..					Pass
Max 24 Hour Deviation	..					Pass
Min Digital Level	..					Pass
Max Digital Level	..					Pass
Conclusion:						P A S S

Reviewed: _____

Date: _____



G.V.T.C
36101 FM 3159
New Braunfels, TX
78132
830-885-4411

2008 24 Hour Summer Report

Model: SDA-5000
Operator: JOHN-GREEN
Date: 07/07/08 Time: 12:01:49
Description:

Serial #: 5330086
File: TP-03

Cal Date: 11/28/07
DOS File: TP-03

Location: TP-03
Location Type: FieldTest
Area: TP-03
Test Pnt Type:
Test Pnt Comp:
AC Voltage:

AmpID:
Power Cfg:
Feeder Maker Cfg:
Trunk Term:
Voltage Setting:
DC Voltage (reg):

Reverse Pad:
Forward Pad:
Rev Equalizer:
Fwd Equalizer:
Temp:
DC Voltage (unreg):

	#1	#2	#3	#4	
Date:	07/07/08	07/07/08	07/08/08	07/08/08	
Time:	12:01:49	18:01:49	00:01:49	06:01:49	
Temp:	37.0 C	34.0 C	29.0 C	29.0 C	
Channel	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	24Hr Deviation(dB)
2	9.3	10.4	10.2	10.4	1.1
3	8.5	8.9	9.1	9.2	0.7
4	8.3	8.9	9.1	9.0	0.8
5	8.2	8.3	8.7	8.8	0.6
6	7.8	8.4	8.4	8.5	0.7
7	6.0	6.0	6.7	6.5	0.7
8	6.1	6.3	6.7	6.7	0.6
9	6.1	6.7	7.0	7.2	1.1
10	6.1	6.4	6.8	6.9	0.8
11	6.5	6.8	7.4	7.3	0.9
12	7.1	7.5	7.7	7.8	0.7
13	7.2	7.4	7.7	7.6	0.5
14	6.3	6.6	6.8	6.8	0.5
15	6.4	7.0	7.6	7.3	1.2
19	5.3	5.8	6.3	6.1	1.0
21	5.0	5.2	5.8	5.8	0.8
22	5.2	5.3	5.8	5.8	0.6
23	7.1	7.6	8.0	7.9	0.9
24	7.0	7.6	8.0	7.8	1.0
25	7.9	8.1	8.7	8.4	0.8
26	8.6	8.8	9.0	8.9	0.4
27	9.0	9.3	9.8	9.9	0.9
28	8.3	9.0	9.5	9.4	1.2
29	8.7	9.0	9.5	9.1	0.8
30	9.0	9.4	9.4	9.7	0.7
31	8.9	9.1	9.7	9.6	0.8
32	8.6	8.8	9.1	9.3	0.7
33	8.9	8.8	9.5	9.6	0.8
34	9.4	9.7	10.2	10.2	0.8
35	9.2	9.7	10.1	10.1	0.9
36	9.1	9.4	9.7	9.6	0.6
37	8.8	9.0	9.4	9.7	0.9
38	8.6	9.1	9.6	9.6	1.0
39	9.0	9.6	10.1	10.2	1.2
40	9.8	10.2	10.6	10.6	0.8
41	9.9	10.0	10.4	10.6	0.7
42	10.0	10.4	10.8	10.8	0.8
43	10.2	10.8	11.3	11.2	1.1
44	10.3	10.9	11.2	11.2	0.9
45	10.9	11.1	11.4	11.6	0.7
46	10.4	10.6	11.1	11.0	0.7
47	10.5	10.6	10.7	11.0	0.5
48	10.5	10.4	10.8	11.2	0.8
49	10.8	11.2	11.7	11.6	0.9
50	10.6	11.1	11.4	11.4	0.8
51	10.6	11.3	11.5	11.4	0.9



G.V.T.C
36101 FM 3159
New Braunfels, TX
78132
830-885-4411

2008 24 Hour Summer Report

Model: SDA-5000
Operator: JOHN-GREEN
Date: 07/07/08 Time: 12:01:49
Description:

Serial #: 5330086
File: TP-03

Cal Date: 11/28/07
DOS File: TP-03

Date:	#1	#2	#3	#4	
Time:	07/07/08	07/07/08	07/08/08	07/08/08	
Temp:	12:01:49	18:01:49	00:01:49	06:01:49	
Channel	37.0 C	34.0 C	29.0 C	29.0 C	
	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	24Hr Deviation(dB)
52	10.7	11.2	11.9	11.6	1.2
53	11.1	11.7	12.0	12.2	1.1
54	11.8	12.4	12.6	12.5	0.8
55	11.6	12.3	12.7	12.7	1.1
56	11.5	12.3	12.6	12.6	1.1
57	11.7	12.2	12.4	12.2	0.7
58	11.1	11.7	12.2	12.3	1.2
59	11.2	11.6	12.0	12.1	0.9
60	11.1	11.7	12.3	12.3	1.2
61	11.4	11.9	12.2	12.3	0.9
62	11.2	11.6	12.0	12.3	1.1
63	11.4	12.1	12.0	12.1	0.7
64	10.9	11.2	11.6	11.8	0.9
65	10.4	11.2	11.5	11.4	1.1
66	10.1	11.1	11.8	11.5	1.7
67	10.7	11.3	11.9	11.4	1.2
68	10.9	11.1	11.7	11.6	0.8
69	10.5	11.5	11.7	11.7	1.2
71	10.4	11.3	11.6	11.8	1.4
72	10.7	11.5	11.6	11.5	0.9
73	11.3	11.8	12.2	12.1	0.9
74	11.0	12.1	12.1	12.2	1.2
75	11.3	12.1	12.4	12.4	1.1
76	11.3	11.9	12.6	12.5	1.3
77	11.8	12.6	13.1	13.1	1.3
78	11.7	12.8	13.1	13.3	1.6
79	11.8	12.7	13.0	13.2	1.4
98	6.9	7.4	7.7	7.7	0.8

LIMIT CHECK	Limit	1	2	3	4	
Min Video Carrier Level	..					Pass
Max Delta Video Level	..					Pass
Min Delta V/A	..					Pass
Max Delta V/A	..					Pass
Max Delta Adjacent Chan	..					Pass
Max 24 Hour Deviation	..					Pass
Min Digital Level	..					Pass
Max Digital Level	..					Pass
Conclusion:						P A S S

Reviewed: _____ Date: _____

24 Hour Test Report



G.V.T.C
36101 FM 3159
New Braunfels, TX
78132
830-885-4411

2008 24 Hour Summer Report

Model: SDA-5000
Operator: JOHN-GREEN
Date: 07/09/08 Time: 12:01:49
Description:

Serial #: 5330086
File: TP-04

Cal Date: 11/28/07
DOS File: TP-04

Location: TP-04	AmpID:	Reverse Pad:
Location Type: FieldTest	Power Cfg:	Forward Pad:
Area: TP-04	Feeder Maker Cfg:	Rev Equalizer:
Test Pnt Type:	Trunk Term:	Fwd Equalizer:
Test Pnt Comp:	Voltage Setting:	Temp:
AC Voltage:	DC Voltage (reg):	DC Voltage (unreg):

Date:	#1	#2	#3	#4	
07/09/08	07/09/08	07/09/08	07/10/08	07/10/08	
12:01:49	12:01:49	18:01:49	00:01:49	06:01:49	
Temp:	34.0 C	38.0 C	32.0 C	30.0 C	
Channel	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	24Hr Deviation(dB)
2	10.1	10.1	10.5	10.9	0.8
3	10.2	9.7	10.4	10.4	0.7
4	10.1	9.6	10.2	10.4	0.8
5	10.1	9.9	10.4	10.8	0.9
6	9.9	9.4	10.1	10.3	0.9
7	9.4	8.8	9.2	9.8	1.0
8	9.0	8.8	9.6	9.7	0.9
9	9.6	9.0	9.9	10.2	1.2
10	9.3	9.1	9.8	9.9	0.8
11	9.8	9.1	10.1	10.4	1.3
12	10.1	9.5	10.3	10.7	1.2
13	9.7	9.3	10.3	10.4	1.1
14	9.0	8.7	9.6	9.7	1.0
15	9.7	9.2	10.3	10.1	1.1
19	9.3	9.4	9.6	9.3	0.3
21	8.4	7.9	8.7	8.7	0.8
22	8.8	8.4	9.4	8.8	1.0
23	9.4	8.9	9.7	10.2	1.3
24	9.6	9.4	10.3	10.4	1.0
25	10.0	9.2	10.3	10.5	1.3
26	10.2	9.4	10.5	10.7	1.3
27	11.0	10.3	11.5	11.8	1.5
28	10.4	9.8	11.0	11.3	1.5
29	10.2	9.7	11.0	11.2	1.5
30	10.5	10.1	11.1	11.3	1.2
31	10.3	9.7	11.0	10.9	1.3
32	10.1	9.4	10.6	10.9	1.5
33	10.1	9.6	10.7	10.8	1.2
34	10.2	9.8	10.5	10.6	0.8
35	10.2	9.6	10.6	11.0	1.4
36	10.1	9.5	10.3	12.6	3.1
37	9.9	9.1	10.8	11.7	2.6
38	10.1	9.7	12.5	11.6	2.8
39	9.5	9.2	11.2	11.2	2.0
40	10.5	9.8	11.7	11.8	2.0
41	10.5	10.0	12.0	12.1	2.1
42	10.5	10.3	11.8	12.1	1.8
43	11.2	10.1	12.1	12.3	2.2
44	11.5	10.1	11.9	12.1	2.0
45	12.1	10.4	12.4	12.6	2.2
46	11.0	9.6	11.5	11.9	2.3
47	11.5	9.5	12.0	12.2	2.7
48	10.9	9.1	11.8	12.1	3.0
49	11.5	11.8	11.9	11.8	0.4
50	10.8	11.0	11.6	11.8	1.0
51	10.2	9.9	10.7	10.9	1.0



G.V.T.C
36101 FM 3159
New Braunfels, TX
78132
830-885-4411

2008 24 Hour Summer Report

Model: SDA-5000
Operator: JOHN-GREEN
Date: 07/09/08 Time: 12:01:49
Description:

Serial #: 5330086
File: TP-04

Cal Date: 11/28/07
DOS File: TP-04

	#1	#2	#3	#4	
Date:	07/09/08	07/09/08	07/10/08	07/10/08	
Time:	12:01:49	18:01:49	00:01:49	06:01:49	
Temp:	34.0 C	38.0 C	32.0 C	30.0 C	
Channel	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	24Hr Deviation(dB)
52	9.7	9.5	10.4	10.6	1.1
53	9.9	9.7	11.0	11.2	1.5
54	10.9	10.5	11.9	12.2	1.7
55	11.4	10.9	12.4	12.7	1.8
56	11.7	11.2	12.5	12.9	1.7
57	11.6	11.1	12.4	12.8	1.7
58	11.3	10.7	12.2	12.4	1.7
59	11.3	10.7	12.2	12.1	1.5
60	11.4	11.3	12.3	13.0	1.7
61	11.5	11.0	12.7	12.9	1.9
62	11.4	10.8	12.0	12.5	1.7
63	11.3	10.9	12.5	12.7	1.8
64	11.5	11.0	12.5	13.0	2.0
65	11.3	10.8	12.3	12.5	1.7
66	11.5	10.3	12.4	12.6	2.3
67	11.8	11.1	12.5	12.9	1.8
68	11.6	10.9	12.6	12.9	2.0
69	11.4	10.6	12.5	12.8	2.2
71	11.3	10.6	12.3	12.6	2.0
72	11.5	10.9	12.5	12.9	2.0
73	11.6	11.3	12.9	12.9	1.6
74	11.7	11.1	13.2	13.3	2.2
75	12.0	11.6	13.3	13.3	1.7
76	11.9	11.2	12.9	13.1	1.9
77	12.6	11.6	13.3	13.7	2.1
78	12.8	11.9	13.8	13.9	2.0
79	12.3	11.6	13.5	13.6	2.0
98	9.6	9.1	10.0	10.0	0.9

LIMIT CHECK	Limit	1	2	3	4	
Min Video Carrier Level	..					Pass
Max Delta Video Level	..					Pass
Min Delta V/A	..					Pass
Max Delta V/A	..					Pass
Max Delta Adjacent Chan	..					Pass
Max 24 Hour Deviation	..					Pass
Min Digital Level	..					Pass
Max Digital Level	..					Pass
Conclusion:						P A S S

Reviewed: _____ Date: _____



G.V.T.C
36101 FM 3159
New Braunfels, TX
78132
830-885-4411

2008 24 Hour Summer Report

Model: SDA-5000
Operator: JOHN-GREEN
Date: 07/10/08 Time: 12:01:49
Description:

Serial #: 5330086
File: TP-05

Cal Date: 11/28/07
DOS File: TP-05

Location: TP-05
Location Type: FieldTest
Area: TP-05
Test Pnt Type:
Test Pnt Comp:
AC Voltage:

AmplID:
Power Cfg:
Feeder Maker Cfg:
Trunk Term:
Voltage Setting:
DC Voltage (reg):

Reverse Pad:
Forward Pad:
Rev Equalizer:
Fwd Equalizer:
Temp:
DC Voltage (unreg):

	#1	#2	#3	#4	
Date:	07/10/08	07/10/08	07/11/08	07/11/08	
Time:	12:01:49	18:01:49	00:01:49	06:01:49	
Temp:	37.0 C	50.0 C	34.0 C	31.0 C	
Channel	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	24Hr Deviation(dB)
2	9.4	9.4	9.3	10.8	1.5
3	9.4	9.1	9.9	10.1	1.0
4	9.4	8.9	10.1	10.3	1.4
5	9.7	9.4	10.5	10.9	1.5
6	9.6	9.3	10.1	10.2	0.9
7	9.3	9.0	10.1	10.7	1.7
8	9.4	9.1	10.4	10.9	1.8
9	9.4	9.1	10.4	10.8	1.7
10	9.4	9.1	10.6	10.6	1.5
11	9.3	9.3	10.4	10.8	1.5
12	9.4	9.5	10.7	11.2	1.8
13	9.1	8.7	10.1	10.6	1.9
14	8.6	8.8	9.8	10.1	1.5
15	10.2	9.2	10.1	11.0	1.8
19	8.9	8.4	9.6	10.0	1.6
21	8.4	8.1	9.4	9.8	1.7
22	8.6	8.4	9.5	10.0	1.6
23	9.1	8.7	10.1	10.6	1.9
24	9.4	8.8	10.5	10.8	2.0
25	8.9	8.6	10.0	10.6	2.0
26	10.0	9.8	10.9	11.6	1.8
27	10.7	10.2	11.7	12.3	2.1
28	10.1	9.9	11.2	11.8	1.9
29	10.1	9.7	11.4	11.7	2.0
30	10.7	10.3	11.9	12.3	2.0
31	10.0	9.5	11.4	11.9	2.4
32	9.8	9.8	11.1	11.6	1.8
33	10.3	9.9	11.6	11.8	1.9
34	9.9	9.8	11.4	11.9	2.1
35	10.1	9.4	11.0	11.6	2.2
36	9.7	9.1	11.3	11.5	2.4
37	9.5	8.9	10.6	11.3	2.4
38	9.4	8.7	10.4	10.8	2.1
39	9.1	8.7	10.5	10.9	2.2
40	9.9	9.3	11.0	11.6	2.3
41	9.7	9.2	10.9	11.2	2.0
42	9.6	9.3	10.8	11.1	1.8
43	9.6	9.2	10.8	11.3	2.1
44	9.4	9.1	10.7	11.3	2.2
45	9.7	9.4	10.9	11.4	2.0
46	9.0	8.8	10.6	11.1	2.3
47	9.3	9.1	10.9	11.2	2.1
48	8.9	8.6	10.2	10.7	2.1
49	9.3	8.8	10.4	11.0	2.2
50	9.6	9.0	10.9	11.3	2.3
51	8.9	8.3	10.1	10.6	2.3



G.V.T.C
36101 FM 3159
New Braunfels, TX
78132
830-885-4411

2008 24 Hour Summer Report

Model: SDA-5000
Operator: JOHN-GREEN
Date: 07/10/08 Time: 12:01:49
Description:

Serial #: 5330086
File: TP-05

Cal Date: 11/28/07
DOS File: TP-05

Date:	#1	#2	#3	#4	
Time:	07/10/08	07/10/08	07/11/08	07/11/08	
Temp:	12:01:49	18:01:49	00:01:49	06:01:49	
Channel	37.0 C	50.0 C	34.0 C	31.0 C	
	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	24Hr Deviation(dB)
52	8.7	8.3	10.4	10.6	2.3
53	8.9	8.2	10.3	10.7	2.5
54	9.2	8.7	10.8	11.3	2.6
55	9.5	9.1	10.9	11.4	2.3
56	9.4	8.9	11.1	11.4	2.5
57	9.4	8.8	10.9	11.4	2.6
58	8.9	8.6	10.6	11.0	2.4
59	9.1	8.5	10.8	11.0	2.5
60	9.3	8.7	11.0	11.3	2.6
61	9.7	9.0	11.1	11.4	2.4
62	9.2	8.9	11.0	11.5	2.6
63	10.1	9.3	11.3	11.7	2.4
64	9.7	9.1	11.4	11.9	2.8
65	9.3	8.7	11.1	11.4	2.7
66	9.7	8.9	11.6	12.3	3.4
67	9.7	9.1	11.6	11.9	2.8
68	9.7	9.3	11.6	11.9	2.6
69	9.6	9.3	11.6	11.9	2.6
71	9.3	8.8	11.1	11.4	2.6
72	10.0	9.4	12.0	12.8	3.4
73	9.9	9.7	11.6	11.9	2.2
74	9.8	9.2	11.4	12.4	3.2
75	9.8	9.5	12.3	12.4	2.9
76	9.9	9.2	11.7	12.4	3.2
77	10.4	9.6	12.1	12.9	3.3
78	9.7	9.2	12.0	12.3	3.1
79	10.6	9.5	12.6	12.8	3.3
98	9.2	9.1	10.0	10.4	1.3

LIMIT CHECK	Limit	1	2	3	4	
Min Video Carrier Level	..					Pass
Max Delta Video Level	..					Pass
Min Delta V/A	..					Pass
Max Delta V/A	..					Pass
Max Delta Adjacent Chan	..					Pass
Max 24 Hour Deviation	..					Pass
Min Digital Level	..					Pass
Max Digital Level	..					Pass
Conclusion:						P A S S

Reviewed: _____ Date: _____

24 Hour Test Report



G.V.T.C
36101 FM 3159
New Braunfels, TX
78132
830-885-4411

2008 24 Hour Summer Report

Model: SDA-5000
Operator: JOHN-GREEN
Date: 07/11/08 Time: 12:01:49
Description:

Serial #: 5330086
File: TP-06

Cal Date: 11/28/07
DOS File: TP-06

Location: TP-06	AmpID:	Reverse Pad:
Location Type: FieldTest	Power Cfg:	Forward Pad:
Area: TP-06	Feeder Maker Cfg:	Rev Equalizer:
Test Pnt Type:	Trunk Term:	Fwd Equalizer:
Test Pnt Comp:	Voltage Setting:	Temp:
AC Voltage:	DC Voltage (reg):	DC Voltage (unreg):

Date:	#1	#2	#3	#4	
07/11/08	07/11/08	07/12/08	07/12/08	07/12/08	
12:01:49	18:01:49	00:01:49	00:01:49	06:01:49	
36.0 C	44.0 C	34.0 C	34.0 C	29.0 C	
Channel	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	24Hr Deviation(dB)
2	19.3	18.8	19.6	20.0	1.2
3	19.2	18.4	19.3	19.5	1.1
4	19.5	18.7	19.5	20.0	1.3
5	19.5	18.9	19.8	20.0	1.1
6	19.6	18.9	19.7	20.0	1.1
7	19.4	19.0	20.0	20.3	1.3
8	20.1	19.4	20.3	20.7	1.3
9	19.8	19.5	20.2	20.8	1.3
10	20.2	19.8	20.3	20.4	0.6
11	20.0	19.7	20.2	20.9	1.2
12	19.9	19.7	20.3	21.0	1.3
13	20.3	19.8	20.7	21.0	1.2
14	19.2	18.8	19.8	19.5	1.0
15	19.5	18.9	20.0	20.3	1.4
19	19.4	18.9	19.7	19.8	0.9
21	18.5	17.8	19.1	19.5	1.7
22	18.9	18.5	19.3	19.6	1.1
23	20.1	19.5	20.2	20.7	1.2
24	20.1	19.6	20.0	21.0	1.4
25	19.7	19.5	20.0	20.8	1.3
26	20.3	19.7	20.8	21.3	1.6
27	20.9	19.8	20.7	21.2	1.4
28	20.1	19.6	20.6	21.1	1.5
29	20.1	19.6	20.9	21.4	1.8
30	20.4	19.9	21.0	21.3	1.4
31	19.9	19.7	20.1	20.8	1.1
32	19.8	19.3	20.1	20.7	1.4
33	20.1	19.8	20.3	21.0	1.2
34	19.9	19.5	20.3	20.9	1.4
35	19.8	19.7	20.4	21.0	1.3
36	19.8	19.5	20.1	21.0	1.5
37	19.5	19.2	19.9	20.2	1.0
38	19.7	19.1	20.0	20.5	1.4
39	19.5	19.2	20.0	20.7	1.5
40	20.0	19.7	20.6	21.0	1.3
41	20.2	19.8	20.6	21.2	1.4
42	20.2	19.5	20.2	20.7	1.2
43	20.1	19.7	20.6	21.0	1.3
44	20.1	19.5	20.4	20.9	1.4
45	20.5	20.2	21.0	21.5	1.3
46	20.0	19.7	20.6	21.0	1.3
47	20.4	20.1	20.9	21.4	1.3
48	20.2	20.0	20.4	21.1	1.1
49	20.4	19.9	20.7	21.1	1.2
50	20.5	20.0	20.8	21.2	1.2
51	20.0	19.9	20.6	21.1	1.2



G.V.T.C
36101 FM 3159
New Braunfels, TX
78132
830-885-4411

2008 24 Hour Summer Report

Model: SDA-5000
Operator: JOHN-GREEN
Date: 07/11/08 Time: 12:01:49
Description:

Serial #: 5330086
File: TP-06

Cal Date: 11/28/07
DOS File: TP-06

Date:	#1	#2	#3	#4		
Time:	07/11/08	07/11/08	07/12/08	07/12/08		
Temp:	12:01:49	18:01:49	00:01:49	06:01:49		
Channel	36.0 C	44.0 C	34.0 C	29.0 C		
	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	Video Lvl(dBmV)	24Hr Deviation(dB)	
52	20.4	19.8	20.6	21.0	1.2	
53	20.3	20.0	20.7	21.4	1.4	
54	21.0	20.5	21.5	21.7	1.2	
55	20.8	20.7	21.5	22.0	1.3	
56	21.1	20.9	21.5	22.2	1.3	
57	21.1	21.0	21.5	21.8	0.8	
58	20.5	20.2	21.0	21.4	1.2	
59	20.6	20.1	21.2	21.6	1.5	
60	20.9	20.4	21.3	22.1	1.7	
61	21.0	20.6	21.8	21.8	1.2	
62	20.8	20.6	21.4	21.9	1.3	
63	21.1	20.9	21.4	22.0	1.1	
64	20.6	20.4	21.2	22.0	1.6	
65	20.8	20.4	21.4	21.9	1.5	
66	20.7	20.2	21.4	21.9	1.7	
67	20.7	20.8	21.2	21.6	0.9	
68	20.9	20.9	21.5	21.8	0.9	
69	20.8	20.4	21.3	22.1	1.7	
71	20.4	20.0	21.0	21.4	1.4	
72	20.4	20.3	21.0	21.4	1.1	
73	20.6	20.3	21.1	21.6	1.3	
74	20.7	20.1	21.1	21.6	1.5	
75	21.1	20.1	21.1	21.5	1.4	
76	20.7	20.1	21.2	21.6	1.5	
77	20.9	20.2	21.2	22.0	1.8	
78	21.0	20.1	21.1	21.7	1.6	
79	20.7	20.2	21.3	21.6	1.4	
98	19.1	18.7	19.6	19.9	1.2	

LIMIT CHECK	Limit	1	2	3	4	
Min Video Carrier Level	..					Pass
Max Delta Video Level	..					Pass
Min Delta V/A	..					Pass
Max Delta V/A	..					Pass
Max Delta Adjacent Chan	..					Pass
Max 24 Hour Deviation	..					Pass
Min Digital Level	..					Pass
Max Digital Level	..					Pass
Conclusion:						P A S S

Reviewed: _____

Date: _____